

GLOROX HEALTHCARE™

Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes



Overview

Clorox Healthcare® VersaSure® Wipes are engineered as a ready-to-use cleaner disinfectant system for healthcare facilities.

These EPA-registered wipes contain quaternary ammonium and other ingredients to kill TB and other healthcare-relevant pathogens in 2 minutes or less on a variety of hard, nonporous healthcare surfaces.

Ingredient Information

Active ingredient: n-Alkyl Dimethyl Benzyl Ammonium Chloride – 0.25% n-Alkyl Dimethyl Ethyl Benzyl Ammonium Chloride – 0.25%

Available Formats

Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes are available in multiple sizes and formats to accomplish different disinfecting jobs.



At a Glance Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes			
EPA Registration Number	67619-37		
Product Classification	Pre-moistened wipes		
Dilution	Ready to use		
Disinfectant Type	1-step cleaner-disinfectant		
Active Ingredient Chemistry	Quaternary ammonium		
Odor	Fragranced		
Shelf Life	Expiration date listed on each package: month, day, year		
Toxicity Signal Word	Caution		
HMIS Rating	2-0-0-X		
PPE Required	Follow your facility's protocols		

	Designed for	Item#	Quantity	Shelf life
Multi-Purpose	Daily disinfectionPatient room	31757	85 ct. canister, 6/case	24 months
Wipes (6.75"x8")	surfaces	31760	30 ct. soft pack, 24/case	24 months
		31758	150 ct. carton, 6/case	24 months
Terminal Wipes	Discharge disinfectionLarge areas	31759	110 ct. bucket, 2/case	24 months
(12"x12")		31761	110 ct. refill, 2/case	24 months



Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes

Disinfection Efficacy Claims



Bacteria - 2 minutes	
Bordetella pertussis	
Burkholderia cepacia	
Campylobacter jejuni	
Carbapenem-resistant Esci	herichia coli
Carbapenem-resistant Klek	
	thicillin-resistant Staphylococcus aureus (CA-MRSA)*
Enterobacter aerogenes	
Escherichia coli (E.coli)	
Escherichia coli O157:H7	
Klebsiella pneumoniae	
Legionella pneumophila	
Linezolid-resistant Staphyl	ococcus aureus (LRSA)
Methicillin-resistant Staphy	
Multidrug-resistant [MDR]	Acinetobacter baumannii
Multidrug-resistant [MDR]	Enterococcus faecium
Multidrug-resistant <i>Klebsie</i>	lla pneumoniae
Mycobacterium bovis-BCG	(TB)
Penicillin-resistant Strepto	coccus pneumoniae
Pseudomonas aeruginosa ((Pseudomonas)
Salmonella enterica (Salmo	onella)
Serratia marcescens	
Shigella dysenteriae	
Staphylococcus aureus	
Staphylococcus epidermid	is (Coagulase-negative staphylococci)
Streptococcus pyogenes	
Vancomycin-intermediate-	resistant Staphylococcus aureus (VISA)
Vancomycin-resistant Ente	rococcus faecalis (VRE)
Vancomycin-resistant Stap	hylococcus aureus (VRSA)
Viruses - 30 seconds	
Avian influenza Type A Vir	us (H5N1)
Bovine Viral Diarrhea Virus	
Cytomegalovirus	
Duck Hepatitis B virus as s	urrogate for Human Hepatitis B
Herpes Simplex Virus Type	1
Herpes Simplex Virus Type	2
Human Immunodeficiency	Virus Type 1
Influenza A (H1N1) Virus	
Influenza A Virus	
Measles Virus	
MERS (Middle East Respirat	ory Syndrome)-Associated Coronavirus (MERS-CoV)
Mumps virus	
Respiratory Syncytial Virus	(RSV)
Viruses - 2 minutes	
Rotavirus	
Viruses - 5 minutes	
Norovirus†	
Fungi - 2 minutes	
Candida albicans	

TOTAL: 45 CLAIMS

*US 300 and US 400 strains
†Obtained via surrogate

Obtained via surrogate





Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes

Disinfection Directions For Use





1. Don PPE, then REMOVE gross soil if visible.*



2. WIPE surface with wipe until completely wet.



3. To DISINFECT, allow surface to remain wet for contact time listed below: Bacteria - 2 minutes Viruses[†] - 30 seconds

Special Instructions for Using This Product to Clean and Decontaminate Against HIV-1, HBV and HCV on **Surfaces/Objects Soiled with Blood/Body Fluids:**

- Personal Protection: When handling items soiled with blood or body fluids, use disposable impervious gloves, gowns, masks and eye coverings.
- ▶ Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and other objects before applying this product.
- Contact Time: Allow surfaces to remain wet for 1 minute, let air dry. For all other organisms, see directions for contact times.
- ▶ **Disposal of Infectious Materials:** Use disposable impervious gloves, gowns, masks and eye coverings. Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semicritical medical devices prior to sterilization or high-level disinfection.

^{*} This is a one-step product. Precleaning is required only if blood, vomit, fecal matter or other soil is visible, or in advance of disinfecting. Use product as directed. For unfamiliar surfaces, test in a small, inconspicuous area first. Consult medical equipment warranty information and equipment care and cleaning guides prior to selecting and using any surface disinfectant.

[†] Rotavirus — 2 minute contact time




Clorox Healthcare® VersaSure® Cleaner Disinfectant Wipes



Safety Information

Reference the Safety Data Sheet (SDS) for complete product safety information.

EPA Label Statements



CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. **FIRST AID: IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or when going for treatment. You may also contact 1-800-446-1014 for emergency medical treatment information.

PHYSICAL AND CHEMICAL HAZARDS: Keep product and empty container away from heat and sources of ignition.

National Fire Protection Association (NFPA) Ratings

Health Hazard: 2 Flammability: 0 Instability: 0

Physical and Chemical Hazards: none

Hazardous Materials Identification System (HMIS) Ratings

Health Hazard: 2 Flammability: 0 Physical Hazard: 0 Personal Protection: X

